

1. Shakir S., M.S. Nawaz-Ul-Rehman, M. Mubin and Z. Ali. 2018. Characterization, phylogeny and recombination analysis of Pedilanthus leaf curl virus-Petunia isolate and its associated betasatellite. *Virol. J.* 15(1):134. doi: 10.1186/s12985-018-1047-y. <https://www.ncbi.nlm.nih.gov/pubmed/30165872> [IF=2.465].
2. Xu, Z., Q. Raza, L. Xu, X. He, Y. Huang, J. Yi, D. Zhang, H. Shao, H. Ma and Z. Ali. 2018. GmWRKY49, a salt responsive nuclear protein, improved root length and govern better salinity tolerance in transgenic Arabidopsis. *Front. Plant Sci.* <https://www.ncbi.nlm.nih.gov/pubmed/29997634> [IF=4.298].
3. Saddique, M.A.B., Z. Ali, A.S. Khan, I.A. Rana and I.H. Shamsi. 2018. Inoculation with the endophyte *Piriformospora indica* significantly affects mechanisms involved in osmotic stress in rice. *Rice* 11:34. <https://doi.org/10.1186/s12284-018-0226-1> [IF=3.739].
4. Rahman, M.H., A. Ahmad, X. Wang, A. Wajid, W. Nasim, M. Hussain, B. Ahmad, I. Ahmad, Z. Ali, W. Ishaque, M. Awais, V. Shelia, S. Ahmad, S. Fahd, M. Alam, H. Ullah, G. Hoogenboom. 2018. Multi-model projections of future climate and climate change impacts uncertainty assessment for cotton production in Pakistan. *Agric. Forest Meteor.* 253–254:94–113. <https://doi.org/10.1016/j.agrformet.2018.02.008> [IF=3.887].
5. Khan, A.A., H.M.N. Cheema, I. Karim, U. Aslam, M. Hussain and Z. Ali. 2017. Genetic variance, population structure and gene flow among *Triticum aestivum* for rust resistance. *Pak. J. Agri. Sci.* 54(4):807-816. <https://www.cabdirect.org/cabdirect/abstract/20183066529> [IF=1.054].
6. Saddiq, M.S., I. Afzal, S.M.A. Basra, Z. Ali and A.M.H. Ibrahim. 2017. Sodium exclusion is a reliable trait for the improvement of salinity tolerance in bread wheat. *Arch. Agron. Soil Sci.* DOI:10.1080/03650340.2017.1346373 <https://www.tandfonline.com/doi/abs/10.1080/03650340.2017.1346373> [IF=2.137]
7. Saeed, U., I.A. Rana, S. Ijaz and Z. Ali. 2017. Improving regeneration from mature embryo derived callus in wheat (*Triticum aestivum*) by pre- and post-callus induction treatments. *Int. J. Agric. Biol.*, 19: 969–975. http://www.fspublishers.org/published_papers/23962_...pdf [IF=0.758]
8. Xu, X., W. Song, D. Jinping, Z. Ali, R. Faridi and H. Shao. 2017. Biochemical evaluation for weak-light tolerance of various tomato (*Solanum lycopersicum* L.) Cultivars in china. *Pak. J. Bot.*, 49(3): 913-919. <https://www.pakbs.org/pjbot/papers/1497347762.pdf> [IF=0.690]
9. Ali, Z., S.S. Sarwat, I. Karim, R. Faridi, M.J. Jaskani and A.A. Khan. 2016. Functions of plant's bZIP transcription factors. *Pak. J. Agri. Sci.* 53(2):303-314. <https://www.researchgate.net/publication/304810999> [IF=1.049].
10. Xu, X., Z. Ali, S. Weiyi, N. Ghori, S. Hongbo and D. Jinping. 2016. Alterations of DNA methylation in diverse grafted hybrid tomatoes (*Solanum lycopersicum* L.). *Pak. J. Agri. Sci.* 53(1):107-112. <https://www.pakjas.com.pk/papers/2541.pdf> [IF=1.049].
11. Xu, Z*., Z. Ali*, (*equal contribution) L. Xu, X. He, Y. Huang, J. Yi, D. Zhang and H. Ma. 2016. The nuclear protein GmbZIP110 has transcription activation activity plays

- important roles in the response to salinity stress in soybean. *Sci. Rep.* 6, 20366; doi: 10.1038/srep20366. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4738249/> [IF=5.578].
12. Babar Hussain*, Abdus Salam Khan and Zulfiqar Ali. 2015. Genetic variation in wheat germplasm for salinity tolerance at seedling stage: Improved statistical inference. *Turk J Agric For.* 39: 182-192. <http://journals.tubitak.gov.tr/agriculture/issues/tar-15-39-2/tar-39-2-3-1404-114.pdf>[IF=0.914].
13. Ali*, Z., A.S. Khan, I. Karim, M. Uzair, T. Mahmood, T. Saeed, S. Sarwar, N. Ghorri, Z. Nisar, S.S. Sarwat, A. Qayyum and A.A. Khan. 2014. Generation mean effects, heterosis and heritabilities for seedling, adult and physiological salinity tolerance in spring wheat (*Triticum aestivum* L.). *Int. J. Agri. Biol.* 16(6):1059-1066. http://www.fspublishers.org/published_papers/14198_..pdf. [IF=0.808].
14. Xu, Z*, Z. Ali, J. Yi, L. Xu, X. Liu, X. He, Y. Huang, I. Karim, M. Rasul, H. Ma and D. Zhang. 2014. Over-expression of GmWRKY111 enhances NaCl tolerance of salt-sensitive genotype of *Glycine max*. *Int. J. Agri. Biol.* 16(1):153-159. http://fspublishers.org/published_papers/92900_..pdf. [IF=0.808].
15. Xu Z, Z. Ali, X. Hou, H. Li, J.X. Yi and P.A. Abbasi. 2013. Characterization of Chinese eggplant isolates of the fungal pathogen *Verticillium dahliae* from different geographic origins. *Genet. Mol. Res.* 12 (1): 183 – 195. <http://www.geneticsmr.com/articles/2054> [IF=1.184]
16. Zhang D*, Z. Ali*, (* equal contribution) C. Wang, L. Xu, J. Yi, Z. Xu, X. Liu, X. He, Y. Huang, I.A. Khan, R.M. Trethowan and H. Ma. 2013 Genome-wide sequence characterization and expression analysis of major intrinsic proteins in soybean (*Glycine max* L.). *PLoS One* 8(2): e56312. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0056312>. [IF=4.092].
17. Ali Z*, D. Zhang*, (* equal contribution) Z. Xu, L. Xu, J. Yi, X. He, Y. Huang, X. Liu, A.A. Khan, R.M. Trethowan and H. Ma. 2012. Uncovering the Salt Response of Soybean by Unraveling its Wild and Cultivated Functional Genomes Using Tag Sequencing. *PLoS One* 7(11): e48819. doi:10.1371/journal.pone.0048819. <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0048819> [IF=4.092].
18. Ali Z., A. Salam, F.M. Azhar, I.A. Khan, A.A. Khan, S. Bahadur, T. Mahmood, A. Ahmad and R. Trethowan. 2012. The response of genetically distinct bread wheat genotypes to salinity stress. *Plant Breed* 131: 707-715. doi:10.1111/j.1439-0523.2012.02002.x. <http://onlinelibrary.wiley.com/doi/10.1111/j.1439-0523.2012.02002.x/abstract> [IF=1.596]
19. Iqbal A., A. Ameen, S. Nawaz, M. Amjad, Z. Ali, M.A. Khan, Y. Bukhari and N. Ahmed. 2012. Molecular characterization of Pakistani wheat cultivars using random markers. *Afri. J. Biotechnol.* 11(71): 13571-13575. <https://www.ajol.info/index.php/ajb/article/view/129303> [IF=0.573]

20. Rana, R.M., S. Dong, Z. Ali, J. Huang and H.S. Zhang. 2012. Regulation of ATG6 / Beclin-1 homologs by abiotic stresses and hormones in rice (*Oryza sativa* L.). *Genet. Mol. Res.* 11(1): 3676 – 3687. <http://www.geneticsmr.com/articles/1801> [IF=1.184]
21. Trethowan, R.M., T. Mahmood, Z. Ali, K. Oldach and A.G. Garcia. 2012. Breeding wheat cultivars better adapted to conservation agriculture. *Field Crops Res.* 132:76-83. doi:10.1016/j.fcr.2011.10.015. <http://www.sciencedirect.com/science/article/pii/S0378429011003546>, [IF=2.474]
22. Hussain M., F.M. Azhar, A.A. Khan and Z. Ali. 2012. Expression of genes controlling the inheritance of resistance to cotton leaf curl virus disease (CLCuD) in *Gossypium hirsutum* L.: A quantitative analysis. *Pak. J. Bot.* 44(1): 247-254. [http://www.pakbs.org/pjbot/PDFs/44\(1\)/35.pdf](http://www.pakbs.org/pjbot/PDFs/44(1)/35.pdf) [IF=0.907]
23. Hameed, M.A., R.M. Rana and Z. Ali. 2012. Identification and characterization of a novel Iraqi isolate of *Fusarium pseudograminearum* causing crown rot in wheat. *Genet. Mol. Res.* 11(2): 1341-1348. <http://www.geneticsmr.com//year2012/vol11-2/pdf/gmr1500.pdf> [IF=1. 184]
24. Rana, R.M., S. Dong, Z. Ali, A.I. Khan and H.S. Zhang. 2012. Identification and characterization of the Bcl-2- associated athanogene (BAG) protein family in rice. *Afri. J. Biotechnol.* 11(1): 88-99. [IF=0.573]
25. Salam A., Z. Ali and M. Aslam. 2011. Sodium chloride tolerance in rice (*Oryza sativa* L.) at early seedling growth: genotypic variability, identification and selection. *Pak. J. Bot.* 43(6): 2701-2705. https://www.researchgate.net/profile/Zulfiqar_Ali5/publication/255992085 [IF=0.907]
26. Xu, Z*, Z. Ali*, (* equal contribution) J. Yi, X. He, D. Zhang, G. Yu, A.A. Khan, I.A. Khan and H. Ma. 2011. Expressed sequence tag-simple sequence repeat-based molecular variance in two *Salicornia* (Amaranthaceae) populations. *Genet. Mol. Res.* 10 (2): 1262 - 1276. DOI:10.4238/vol10-2gmr1321. <http://www.geneticsmr.com/articles/1184>. [IF=1. 184]
27. Ali, Z*, Z. Xu*, (* equal contribution) D. Zhang, X. He, S. Bahadur and J. Yi. 2011. Molecular diversity analysis of eggplant (*Solanum melongena*) genetic resources. *Genet. Mol. Res.* 10 (2): 1141-1155. DOI: 10.4238/vol10-2gmr1279. <http://www.geneticsmr.com/articles/1169> [IF=1.184]
28. Rana, R.M., S.H. Khan, Z. Ali, A.I. Khan and I.A. Khan. 2011. Elucidation of thermotolerance diversity in cotton (*Gossypium hirsutum* L.) via physio-molecular approaches. *Genet. Mol. Res.* 10(2):1156-1167. DOI: 10.4238/vol10-2gmr1180. <http://www.geneticsmr.com/articles/1170>. [IF=1. 184]
29. Ali, M.A., M. Hussain, M.I. Khan, Z. Ali, M. Zulkiffal, J. Anwar, W. Sabir and M. Zeeshan, 2010. Source-sink relationship between photosynthetic organs and grain yield attributes during grain filling stage in spring wheat (*Triticum aestivum*). *Int. J. Agric. Biol.*, 12: 509–515. http://www.fspublishers.org/published_papers/18045_..pdf

30. Khan, A.A., M. Iqbal, Z. Ali, and M. Athar. 2010. Diallelic analysis of quantitative traits in hexaploid wheat (*Triticum aestivum* L.). *Plant Biosystems*. 144(2):373-380. doi: 10.1080/11263500903516175. www.informaworld.com/index/919207229.pdf. [IF=1.596]
31. Wattoo J.I, A.S. Khan, Z. Ali, M. Babar, M. Naeem, M.A. Ullah and N. Hussain. 2010. Study of correlation among yield related traits and path coefficient analysis in rice (*Oryza sativa* L.). *Afri. J. Biotechnol.* 9(46): 7853-7856. <http://www.academicjournals.org/AJB/abstracts/abs2010/15Nov/Wattoo%20et%20al.htm>. [IF=0.573]
32. Azhar, F.M., Z. Ali, M.M. Akhtar, A.A. Khan and R. Trethowan. 2009. Genetic variability of heat tolerance, and its effect on yield and fiber quality traits in upland cotton (*Gossypium hirsutum* L.). *Plant Breed.* 128, 356-362. doi:10.1111/j.1439-0523.2008.01574.x. <http://onlinelibrary.wiley.com/doi/10.1111/j.1439-0523.2008.01574.x/full>. [IF=1.596]
33. Ali, Z., A. Salam, F.M. Azhar and I.A. Khan. 2007. Genotypic variation in salinity tolerance among spring and winter wheat (*Triticum aestivum* L.) accessions. *S. Afr. J. Bot.* 73:70-75. http://www.sciencedirect.com/science?_ob=ArticleURL&_udi=B7XN9-4MFTW0Y-1&_user=10&_coverDate=01%2F31%2F2007&_rdoc=1&_fmt=high&_orig=gateway&_origin=gateway&_sort=d&_docanchor=&view=c&_acct=C000050221&_version=1&_urlVersion=0&_userid=10&md5=30cc103bfe0300a6bffb86e19bb4eb7a&searchtype=a. [IF=1.659]
34. Hussain, T., I.A. Khan, and Z. Ali. 2007. Study on gene action and combining abilities for thermotolerant abilities of corn (*Zea mays* L.). *Int. J. Plant Prod.*, 1(1):1-12. http://www.gau.ac.ir/jm/Programs/JurnalMgr/VolumArticle/EN_6_1.pdf. [IF=1.150]
35. Hussain, T., I.A. Khan, M.A. Malik and Z. Ali. 2006. Breeding potential for high temperature tolerance in corn (*Zea mays* L.). *Pak. J. Bot.*, 38(4): 1185-1195. [www.pakbs.org/pjbot/PDFs/38\(4\)/PJB38\(4\)1185.pdf](http://www.pakbs.org/pjbot/PDFs/38(4)/PJB38(4)1185.pdf). [IF=0.907]
36. Aslam, M., I.A. Khan, M. Saleem and Z. Ali. 2006. Assessment of water stress tolerance in different maize accessions at germination and early growth stage. *Pak. J. Bot.*, 38(5):1571-1579. [www.pakbs.org/pjbot/PDFs/38\(5\)/PJB38\(5\)1571.pdf](http://www.pakbs.org/pjbot/PDFs/38(5)/PJB38(5)1571.pdf). [IF=0.907]
37. Zhang, D., G. Hu, J.Yi , L. Xu, Z. Ali, X. Liu, L. Yuan, Z. Xu, X. He, and H. Ma. 2013. Isolation and Expression Analysis of GmTIP1;1 in Soybean (*Glycine max* L. Merr.). *Acta Agronomica Sinica*. 39(1):76-83. (in Chinese/Abstract English). DOI: 10.3724/SP.J.1006.2013.00076. <http://211.155.251.148:8080/zwx/article/2013/5286>
38. Zhang, D., L. Xu, J. Yi, Z. Xu, X. He, X. Liu, Y. Huang, Z. Ali and H. Ma. 2011. Cloning and expression analysis of an ERF transcription factor in soybean. *Jiangsu J. Agri. Sci.* 27(5):957-963. (in Chinese/Abstract English).
39. Yi, J., Z. Xu, J. Wang, D. Zhang, X. He, Z. Ali, H. Zhu, H. Ma, and D. Sangeeta. 2011. GmCHS8 and GmIFS2 gene co-determine accumulation of isoflavonoid in soybean. *Acta Agronomica Sinica*. 37(4):571-578. (in Chinese/Abstract English). DOI: 10.3724/SP.J.1006.2011.00571. <http://211.155.251.148:8080/zwx/EN/abstract/abstract4784.shtml>

List of Research Papers Published in HEC Recognized Journals (23 – HEC 12)

1. Nazeer, W., Z. Ali, A. Ali and T. Hussain. 2010. Genetic behaviour for some polygenic yield contributing traits in wheat (*Triticum aestivum* L.). *Journal of Agricultural Research*. 48(3):267-277. http://apply.jar.punjab.gov.pk/upload/1374661902_84_34__267Paper-No.1.pdf [Category Y]
2. Mahpara, S., Z. Ali and M. Ahsan. 2008. Combining ability analysis for yield and yield related traits among wheat varieties and their F1 hybrids. *Int. J. Agri. Biol.* 10(6):599–604. http://www.fspublishers.org/ijab/past-issues/IJABVOL_10_NO_6/2.pdf. [Category Y]
3. Akhtar, M.M., F.M. Azhar and Z. Ali. 2008. Genetic basis of fiber quality attributes in upland cotton (*Gossypium hirsutum*) germplasm. *Int. J. Agri. Biol.* 10(2):217–220. http://www.fspublishers.org/ijab/past-issues/IJABVOL_10_NO_2/17.pdf [Category Y]
4. Firouzian, A., A. S. Khan and Z. Ali. 2003. Genetic variability and inheritance of grain yield and its components in wheat. *Pak. J. Agri. Sci.* 40(3-4):176-179. https://www.researchgate.net/profile/Zulfiqar_Ali5/publication/266492498 [Category Y]
5. Ashfaq, M., A.S. Khan and Z. Ali. 2003. Association of morphological traits with grain yield in wheat (*Triticum aestivum* L.). *Int. J. Agri. Biol.* 5(3):262-264. https://www.researchgate.net/profile/Muhammad_Ashfaq13/publication/237698935 [Category Y]
6. Khan, A.S., I. Salim and Z. Ali. 2003. Heritability of various morphological traits in wheat. *Int. J. Agri. Biol.* 5(2):138-140. https://www.researchgate.net/profile/Zulfiqar_Ali5/publication/254396218 [Category Y]
7. Khan, A.S., M.A. Asad and Z. Ali. 2003. Assessment of genetic variability for NaCl tolerance in wheat. *Pak.J. Agri. Sci.* 40(1):33-36. <https://www.pakjas.com.pk/papers/532.pdf> [Category Y]
8. Rasul, I., A.S. Khan and Z. Ali. 2002. Estimation of heterosis for yield and some yield components in bread wheat. *Int. J. Agri. Biol.* 4(2):214-216. https://www.researchgate.net/profile/Zulfiqar_Ali5/publication/237294798 [Category Y]
9. Abdullah, G.M., A.S. Khan and Z. Ali. 2002. Heterosis study of certain important traits in wheat. *Int. J. Agri. Biol.* 4(3):326-328. <https://www.researchgate.net/publication/253806246> [Category Y]
10. Khan, A.S and Z. Ali. 2001. Genetic variation in wheat for response to different growth hormones. *Int. J. Agri. Biol.* 3(1):121-123. <https://www.researchgate.net/publication/266374559> [Category Y]
11. Khan, A.S and Z. Ali. 1998. General and specific combining ability estimates for plant height and some yield components in wheat. *Pak. J. Agri. Sci.* 35(1-4):4-6. [Category Y]
12. Ali, Z. and A.S. Khan. 1998. Combining ability studies of some morpho-physiological traits in bread wheat. *Pak. J. Agri. Sci.* 35(1-4):1-3. [Category Y]

13. Salim, I., A.S. Khan and Z. Ali. 2003. Estimates of heritability and genetic advance for grain yield traits in *Triticum aestivum* L. *J. Anim. Plant. Sci.* 13(1):52-54.
14. Ali, Z., A. S. Khan, I. A. Khan and F. M. Azhar. 2005. Effect of NaCl on root growth and ionic relations of wheat. *J. Agri. Soc. Sci.* 1(2):123-125. http://www.fspublishers.org/jass/past-issues/JASSVOL_1_NO_2/12.pdf
15. Ali, Z., A. S. Khan, I. A. Khan and F. M. Azhar. 2005. Heritability (h²_b) estimates for NaCl tolerance in wheat (*Triticum aestivum* L.). *J. Agri. Soc. Sci.* 1(2):126-128. http://www.fspublishers.org/jass/past-issues/JASSVOL_1_NO_2/13.pdf
16. Nazir, S., A. S. Khan and Z. Ali. 2005. Combining ability analysis for yield and yield contributing traits in bread wheat. *J. Agri. Soc. Sci.* 1(2):129-132. https://www.researchgate.net/profile/Shahid_Nazir/publication/251921038
17. Nawaz-ul-Rehman, M.S., A. S. Khan and Z. Ali. 2004. Combining ability studies of some morphological traits in spring wheat. *Indus J. Plant Sci.* 3(1):143-148.
18. Khan, A. S., Z. Ali and M.S. Nawaz-ul-Rehman. 2004. Heterosis and heterobeltiosis estimates of quantitative traits in spring wheat. *Indus J. Plant Sci.* 3(1):117-121.
19. Iqbal, M. A., A.S. Khan and Z. Ali. 2004. Heterosis in wheat. *Indus J. Plant Sci.* 3(1):8-11.
20. Ali, Z., A.S. Khan and M.A. Asad. 2002. Salt tolerance in bread wheat: Genetic variation and heritability for growth and ion relation. *Asian J. Plant Sci.* 1(4):420-422. <http://198.171.234.225/fulltext/index.php?doi=ajps.2002.420.422&org=>
21. Saleem, M., S. Ali, Z. Ali and F. Hameed. 2001. Cause and effect relationship of yield attributes in chickpea. *J. Pure Appl. Sci.* 20(1):43-49.
22. Khan, A.S and Z. Ali. 2000. Genetic studies of some morpho-physiological traits in wheat (*Triticum aestivum* L.). *J. Pure Appl. Sci.* 19(2):127-134.
23. Ali, Z., A.S. Khan and T.M. Khan. 1999. Gene action for plant height, grain yield and its components in spring wheat. *Pak. J. Biol. Sci.* 2(4):1561-1563. www.doaj.org/doi/func=abstract&id=591254